Results for **"(coalescing <and>set of pixels)<and>memory and adjacent"**
Your search matched **2** of **1532162** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

1. **IEEE standard computer dictionary. A compilation of IEEE standard computer glossaries**
   18 Jan. 1991
   AbstractPlus | Full Text: PDF(14764 KB) IEEE STD

2. **Color vision for RoboCup with fast lookup tables**
   McNaughton, M.; Hong Zhang;
   Robotics, Intelligent Systems and Signal Processing, 2003. Proceedings. 2003 IEEE International Conference on
   Volume 1, 8-13 Oct. 2003 Page(s):399 - 404 vol.1
   Digital Object Identifier 10.1109/RISSP.2003.1285607
   AbstractPlus | Full Text: PDF(491 KB) IEEE CNF
   Rights and Permissions

Indexed by Inspec

© Copyright 2006 IEEE – All Rights Reserved

Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In] Advertiser Sign In Help

Web | Images | Video | Local | Shopping | more

YAHOO! SEARCH method for reducing image data and determining a first set of pi Search

Answers

Search Results 1 - 10 of about 16 for **method for reducing image data and determining a first set of pixels of an image in a memory**

1. Web Site for Perfectly Random Sampling with Markov Chains:
... or continuous space) depend upon **one another in a** monotone or anti ... an independent **set of** coins for each value of time and each value of the **second** ...
dbwilson.com/exact - 285k - Cached - More from this site

2. Web Site for Perfectly Random Sampling with Markov Chains:
... or continuous space) depend upon **one another in a** monotone or anti ... an independent **set of** coins for each value of time and each value of the **second** ...
dimacs.rutgers.edu/~dbwilson/exact - 285k - Cached - More from this site

3. Web Site for Perfectly Random Sampling with Markov Chains:
... or continuous space) depend upon **one another in a** monotone or anti ... an independent **set of** coins for each value of time and each value of the **second** ...
dimacs.rutgers.edu/~dbwilson/exact.html - 285k - Cached - More from this site

4. Web Site for Perfectly Random Sampling with Markov Chains:
... or continuous space) depend upon **one another in a** monotone or anti ... an independent **set of** coins for each value of time and each value of the **second** ...
research.microsoft.com/~dbwilson/exact - 285k - Cached - More from this site

5. Web Site for Perfectly Random Sampling with Markov Chains:
... or continuous space) depend upon **one another in a** monotone or anti ... an independent **set of** coins for each value of time and each value of the **second** ...
research.microsoft.com/~dbwilson/exact - 285k - Cached - More from this site

6. worrydream.com/MagicInk/draft_2/draft.txt
I'm asking for software to display a complex **set of data in a** way that I can ... Its **pixels are** magic ink – capable of absorbing their context and reflecting a ...
worrydream.com/MagicInk/draft_2/draft.txt - 185k - Cached - More from this site

7. Magic Ink: Information Software and the Graphical Interface
I'm asking for software to display a complex **set of data in a** way that I can ... is on a single page, it can be compared by eye, with no need **for memory**. ...
worrydream.com/MagicInk - 255k - Cached - More from this site

8. Magic Ink: Information Software and the Graphical Interface
I'm asking for software to display a complex **set of data in a** way that I can ... is on a single page, it can be compared by eye, with no need **for memory**. ...
worrydream.com/MagicInk/draft_2/draft.html - 250k - Cached - More from this site

9. the 44894 to 24983 of 20910 and 17502 a 17292 i 16669 in 14716 is ...
... 1112 now 1100 **first** 1083 people 1055 want 1053 **set** 1023 work 1012 who ... must 592 paper 586 **data** 583 **being** 582 those 582 next 579 text 579 try 575 look ...
www.cs.luc.edu/~rig/home/bin/engstat/mail.wf - 160k - Cached - More from this site

10. jsr166/src/test/loops/ids.txt - view - 1.1
... HEAD. **data** files for ... Addresses Addressing Adds **Adjacent** Adjust AdjustForGravity ... Among Amy An And Angles Ann Annex Anno Annotation **Another** ...
gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/loops/... - 288k - Cached - More from this site

1 2 Next

method for reducing image data and determining a first set of pi Search



Find anything on the Web, from anywhere on the Web!
Get your free Yahoo! Toolbar.

Copyright © 2007 Yahoo! All rights reserved. Privacy Policy - Copyright/IP Policy - Terms of Service - Submit Your Site

Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In] Advertiser Sign In Help

Web | Images | Video | Local | Shopping | more

YAHOO! SEARCH method for reducing image data and determining a first set of pi Search

Answers

Search Results 11 - 16 of about 16 for method for reducing image data and determining a first set of pixels of an image in a memor

11. jsr166/src/test/loops/ids.txt - view - 1.1
... HEAD. **data** files for ... Addresses Addressing Adds **Adjacent** Adjust AdjustForGravity ... Among Amy An And Angles Ann Annex Anno Annotation **Another** ...
gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/loops/... - 288k - Cached - More from this site

12. 9. no title available - Translate this page
... Addressing Adds **Adjacent** Adjust AdjustForGravity Adjustable Adjustables ... IllegalThreadStateException **Image** ImageBlaster ImageCapabilities **Image**Filter ...
gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/*checkout*/jsr166/...?rev=1.1 - 285k - Cached - More from this site

13. Surface following interaction **method for** adaptively sampled distance ...
In another method, the models are constructed using **one of** several ... scanned **data** consist **of a set of** overlapping 2D scanned range **images** taken from ...
www.freepatentsonline.com/6670962.html?highlight=5666475 - More from this site

14. **Method for** correcting an adaptively sampled distance field - Patent 6933939
In another method, the models are constructed using **one of** several ... scanned **data** consist **of a set of** overlapping 2D scanned range **images** taken from ...
www.freepatentsonline.com/6933939.html - More from this site

15. Transparent invisible conductive grid - Patent 7153620
In one preferred embodiment, the element has an L* of greater than 80 and a b* of from 0 to -6.0. ... They may be "smooth" as to not interfere with the ...
www.freepatentsonline.com/7153620.html?highlight=6887556 - More from this site

16. lead | www.agents6.info
... square in shape, as in philanthropist's are the ourselfes unscrewing **one** mascot **with another**. ... Maybe there is **a method to** their madness and they truly ...
www.agents6.info/lead.htm - More from this site

Prev 1 2

method for reducing image data and determining a first set of pi Search



Copyright © 2007 Yahoo! All rights reserved. Privacy Policy - Copyright/IP Policy - Terms of Service - Submit Your Site